

Strut profile 40x80L



Product description

[Quick & Easy profile finishes](#)


[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)

Dimensions

Strut profile 40x80L



Ordering codes

The following caps with holes are needed:




40x80 signal gray (1 item)




40x80 black (1 item)

The following cover caps are needed:

40x80 signal gray (1 item)

40x80 black (1 item)

| | L |  |  | ESD | No. |
|-----------------------------------|--------------|--|---|---|------------|
| | mm | | | | |
| Strut profile 40x80L | 50 ... 6070 | | 1 | | 3842993130 |
| Strut profile 40x80L M12/- | 60 ... 6000 | | 1 | | 3842993131 |
| Strut profile 40x80L M12/M12 | 110 ... 6000 | | 1 | | 3842993132 |
| Strut profile 40x80L D17/D17 | 80 ... 6000 | | 1 | | 3842993135 |
| Strut profile 40x80L D17/D17V | 80 ... 6000 | | 1 | | 3842993136 |
| Strut profile 40x80L D17V/- | 60 ... 6000 | | 1 | | 3842993137 |
| Strut profile 40x80L D17V/D17V | 80 ... 6000 | | 1 | | 3842993138 |
| Strut profile 40x80L, 12xL=6070mm | 6070 | 12 | | | 3842529341 |
| Strut profile 40x80L Q&E | 50 ... 6070 | | 1 | | 3842993728 |
| Cover cap 40x80, signal gray | | | 20 | | 3842548748 |
| Cover cap 40x80, black | | | 20 |  | 3842548749 |

| | L |  |  | ESD | No. |
|--|------|---|--|---|------------|
| | mm | | | | |
| Cover cap with hole 40x80, signal gray | | | 20 | | 3842548788 |
| Cover cap with hole 40x80, black | | | 20 |  | 3842548789 |
| Strut profile 40x80L | 6070 | | 1 | | 3842529342 |

Quick & Easy profile finishes

| | |
|--|-------------------------------------|
| Standard profile finishes (note minimum length) | M12 / D9,8 / D17 / DB17 / F1 (A,D) |
| Customized profile finishes ($L_{\max} = 5400$ mm) ¹⁾ | DI / DIS / MT / MTS / MI / MIS / DG |

1) $DG_{\max} = 45^\circ$; $L_{\min1} / L_{\min2} = 439 / 578$ mm