



Sealing profile












- For sliding and swing doors
- Prevents particles from entering or escaping
- Sealing profile N6 for use in cleanroom environments
- Two-piece seal also performs a stop function

Product description








Technical data


No.	Material	
3842524623	TPE; light gray RAL 7035, Shore hardness A 64° ±5	
3842524622		
3842516598	NBR; black, Shore hardness A 60°	
3842518492		
3842554728		
3842554730		

Dimensions


Sealing profile N6



Sealing profile N6, two-part




Sealing profile N8



Assembly-Technology, PDF version, 2022-08-242, © Bosch Rexroth AG, subject to change. Valid edition only on the Internet. Copies of any type are not subject to change.

Dimensions 4/4

Sealing profile N10



Delivery notes

Scope of delivery

Sealing profile N6		
Sealing profile N6, two-part		
Sealing profile N8		
Sealing profile N10		
Sealing profile N6		
Sealing profile N6, two-part		

Ordering codes

	Groove	L	No.
		mm	
Sealing profile N6	6	10000	3842524623
Sealing profile N6, two-part	6	10000	3842524622
Sealing profile N8	8	10000	3842516598
Sealing profile N10	10	10000	3842518492
Sealing profile N6	6	10000	3842554728
Sealing profile N6, two-part	6	10000	3842554730